Head Injuries in the School Setting

Student Health Services School District of Holmen

What is a concussion?

- Injury to the brain
- Direct or indirect
- May or may not experience loss of consciousness
- Even a mild bump to the head may be serious

Concussion affects 4 levels of brain function

- How a person feels—headache, fatigue
- How a person thinks—memory or concentration
- Emotions—irritable or sad
- Sleep—trouble falling asleep



Signs

- Dazed or stunned
- Confused
- Forgetful
- Clumsy
- Answers slowly
- Behavior or personality changes
- Unable to recall recent events



Symptoms

- Headache
- Nausea
- Dizziness
- Vision disturbance
- Sensitivity to light or noise
- Confusion
- Concentration/memory problems



Concussion ABCs

- Assess the situation
- **B**e alert for signs and symptoms
- Contact a Healthcare Professional

Injury rate per 100,000 injury exposures in high school athletics:

Football	52
Boy's Ice Hockey	43
Girl's Lacrosse	39
Girl's Soccer	35
Boy's Lacrosse	32
Boy's Wrestling	22
Girl's Basketball	20
Girl's Field Hockey	18
Boy's Soccer	17
Girl's Softball	15
Boy's Basketball	9

Source: NFHS/High School RIO 2008-09

Sports Injuries on the Field

- Larissa Dreyer, AT-C, Gundersen-Lutheran
- ImPACT testing
- GL Brain Concussion Assessment Form
- Medical Evaluation Referral
- Care Coordination
- Return to Play

"When in doubt, sit them out"

Care Coordination

Involves:

- Student/Athlete
- Teacher/Coach
- Athletic Trainer
- Medical Provider
- Parent/Guardian
- School Nurse



General Treatment Guidelines

BRAIN REST

- School attendance as tolerated
- No physical activity
- No "screen time" i.e., texting, computers, video games
- No Driving

Gradual return to activity



Classroom Care

Brain Rest

- Provide alternatives to computers, reading, testing
- Expect modified school day
- Allow longer time for assignments, testing
- Encourage frequent breaks
- Report continued symptoms to School Nurse



Head Injuries at School

- Evaluation by Health Office Staff
- Notify Parents
- Notify Teacher
- Provide Parents/Staff with list of signs/symptoms to be aware of
- Encourage medical follow-up when necessary

•SDH Head Injury Notification to Parents

. •	f:		
inform you that y			Grade:
I has shown no ad u that in some ca	our child sustained a verse reactions to th ses it can take 24 ho	t blow to the head in sc e injury, we feel it is in urs or more for serious	hool today. Although his/her best interest symptoms to develop
ntify your health ca ange in personalit owsiness vere headache, so rred speech or dit pils of eyes unequ miting	are provider. Ty or unusual irritabil The action of the second of the	ity with dizziness	ptoms appear, you
ss of consciousne	ss		
	several symptom stify your health ca ange in personalit owsiness were headache, so irred speech or dif pils of eyes uneque miting ss of bowel or blad nvulsions or twitc ss of consciousne	several symptoms of a concussion. Sotify your health care provider. ange in personality or unusual irritabilowsiness vere headache, sometimes associated vired speech or difficulty speaking pils of eyes unequal in size and/or blu	several symptoms of a concussion. Should any of these symptify your health care provider. ange in personality or unusual irritability owsiness were headache, sometimes associated with dizziness urred speech or difficulty speaking pils of eyes unequal in size and/or blurred or double vision miting ss of bowel or bladder control nvulsions or twitching ss of consciousness

Sidelined for Safety Act—AB 259

- Introduced May 12,2011 by Rep. Jason Fields (D-Milwaukee)
- Will require an athlete who has a suspected concussion to obtain medical clearance before returning to play
- Will require coaches, parents and athletes to become better educated on the signs/symptoms of concussion
- If passed, it would affect <u>all</u> organized athletic activities for <u>all</u> athletes aged 11−19
- Supported by WIAA, Wisconsin Medical Society and the Brain Injury Association of Wisconsin